



LAXMI ORGANIC INDUSTRIES LTD

Chandermukhi, Third Floor, Nariman Point, Mumbai 400021, India
T +91 22 49104444 E info@laxmi.com W www.laxmi.com

LOIL/Lote/EC/2022/003

1st April, 2022

To,
The Additional Principal Chief Conservator of Forest (C),
Ministry of Env., Forest & Climate Change
Regional Office (WCZ), Ground Floor, East Wing,
New Secretariat Building, Civil Lines, Nagpur - 440001

Subject: Submission of Compliance to conditions of Environmental Clearance for our unit
Laxmi Organic Industries Ltd. Plot No. G-60, MIDC Lote Parshuram, Khed, Dist-
Ratnagiri, Maharashtra.

Reference: Environment Clearance No. SIA/MH/IND2/50229/2019, dtd. 31/03/2020.

Dear Sir,

With reference to above Environmental Clearance, we are sending herewith the six monthly compliance report along with required information with respect to our Unit. The details given are for the period **October 2021 to March 2022.**

This is submitted for your kind information and records please.

Thanking You,
Yours faithfully,

For **Laxmi Organic Industries Ltd.**

Authorized Signatory

Encl.: As attached

CC: The Sub Regional Officer, MPCB, Chiplun.



Environmental
Clearance
Compliance
Report From
October 2021
to March 2022

April 1

2022

Submitted by-

M/S. Laxmi Organic Industries Limited

Plot no. G - 60, MIDC Lote Parshuram,

Khed, Ratnagiri

Compliance Report for the condition in the Environment Clearance:

Sr. No.	Condition and Description		Compliance Status
1	This has reference to your communication on the above mentioned subject. The proposal was considered by the SEAC- 1 in its 177th meeting under screening category 5(f) as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 191st meeting of State Level Environment Impact Assessment Authority (SEIAA).		Noted
2	Brief Information of the project submitted by LOIL is as below:		
1	Name of the project	Environment Clearance for Proposed 8500 MT/Month of Synthetic Organic Chemicals plant for Specialty Intermediates at plot no. G - 60, MIDC Lote Parshuram, Khed, Ratnagiri by M/s. Laxmi Organic Industries Ltd.	Noted
2	Plot Area	80000 m2	Noted, No change
3	FSI	56894 m2	
4	Non-FSI	1458 m2	
5	Total built up area	58352 m2	
6	Production Capacity	8500 TPM	
7	Product Details: Name of the Product: Organic Fluoro specialties Products		
	Chemical Nomenclature	EC Quantity MTM	Manufacturing activities yet to be started.
	4-chlorobenzo tri chloride/ 4-chlorobenzo tri fluoride	400	
	4-Chloro-3,5-dinitrobenzotrifluoride	250	
	2,4-dichloro-3,5-dinitrobenzotrifluoride	120	
	3,4-Dichlorobenzotrifluoride	100	
	1,3-Bis(trifluoromethyl)benzamide	90	
	2,Trifluoromethyl benzamide	90	
	4,4-difluorobenzophenon	90	
	4-chloro-3-nitrobenzotrifluoride	50	
	2,2-Difluoro-1,3-benzodioxole	40	
	Methyl 3-(trifluoromethyl)benzoate	30	
	2-chloro-6-fluorobenzyl chloride	30	
	Potassium nonafluorobutanesulphonate	15	
	3-Fluorobenzotrifluoride	10	
	Perfluorotripropylamine	4	
	Potassium decakis(fluoranyl) - pentakis(fluoranyl)ethylcyclohexane-1-sulfonate	1	
	Name of the Product: Inorganic Products		
	Chemical Nomenclature	EC Quantity MTM	Manufacturing activities yet to be started.
	Dilute Hydrochloric Acid	5800	
	Dilute Sulphuric acid	550	
	Dilute Hydrofluoric acid	120	

	Sodium hypochlorite solution	360	
	Calcium Chloride solution	350	
	Total	8500 MTM	
8	Water requirement	Fresh: 1737 m3/day, Recycle: 792m3/day, Total : 2529 m3/day	Manufacturing activities yet to be started.
9	Effluent generation	1292 m3/day. Treated effluent: 792 m3/day recycle & 500 m3/day to CETP	Manufacturing activities yet to be started.
10	ETP Capacity	1500 M3/day	Noted, No change
11	Green Belt Area	26416 M2	Noted, No change
12	Fuel Requirement	Indonesian Coal @ 4167 kg/Hr. (100 TPD) Natural Gas @ 625 kg/hr. (15 TPD) Residue @ 458 kg/hr. (11 TPD) Diesel @ 210 kg/hr.	Manufacturing activities yet to be started.
13	Power Requirement	9 MW (connected Load), 6 MW (demand Load), 3 x 630 KVA DG sets	Noted, No change
14	Solid Waste Generation: Hazardous Wastes -		
	Category and Waste Type	EC quantity	Disposal
	35.3 Chemical Sludge from waste water treatment (TPD)	5.0	CHWTSDF
	1.2 Tarry Waste (residue) (TPD)	11	Furnace installed at Plant
	33.1 Empty Chemical Drums (Nos./M)	120	Authorized Recyclers
	33.2 Waste Cotton Rags (Kg/M)	30	CHWTSDF
	5.1 Used or Spent Oil (Ltr/M)	1000	CHWTSDF
	Solid Waste Generation: Non-hazardous Wastes -		
	Fly Ash (TPD)	1	To brick making / low lying landfill & other end users
	Bottom Ash (TPD)	5	low lying landfill & other end users
15	Manpower	Nos	100
16	EMP Cost – set up cost	Rs. Lakhs	620
	EMP Cost – O&M	Rs. Lakh/A	55
17	Total Project Costs	Rs. Crores	275
18	CER	Rs. Lakhs	413
3	The proposal has been considered by SEIAA in its 191 st meeting and decided to accord Environmental Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of following terms and conditions:		
	Specific Conditions:		
I	PP to submit undertaking for compliance of all recommendations of HAZOP and Risk Assessment studies		Construction phase is going on, before

		starting manufacturing we will submit the undertaking of the same.
II	PP to prepare safety related training modules	Complied with.
III	Implementation of CER Plan in consultation with District Authority as per OM issued by MoEFCC dated 01.05.2018	CER plan, refer Annexure 1
IV	Inclusion of Water and Carbon foot print monitoring in EMP	Complied with.
V	All fugitive emission vents to be connected to scrubber	Noted, included in plant construction drawings.
VI	Use of new and renewable energy for illumination of office buildings, street lights parking areas.	Noted, Site grading activities are in progress.
	Provision of lightening arrester	Noted, will be complied with.
General Conditions:		
I	ZLD	Not applicable as per letter from MPCB & refer EC Condition No. 2, Sr. No. 9
II	No use / acquire of additional land without prior permission	Complied with.
III	Taking precautions for health and safety of employees and protecting the environment.	Complied with as an ongoing activity.
IV	Maintaining proper housekeeping	Complied with as an ongoing activity.
V	Failure of pollution control unit shall lead to closing of respective connected manufacturing unit until desired efficiency is achieved for the pollution control equipment.	Not applicable at the current construction phase.
VI	Provision of DG Stack as per rated capacity.	DG not installed yet, Stack will be provided as per the CTE conditions.
VII	Implementation of rainwater harvesting scheme	Not applicable at this construction phase.
VIII	Storm water and effluent water should not get mixed.	Noted and will be complied with.

IX	Periodic monitoring of ground water wells and periodic submission of report to MPCB	Will be included in environmental monitoring plan.
X	Noise levels monitoring and providing PPE to all concerned employees.	Complied with
XI	Maintaining noise levels below standards by providing acoustic hoods, silencers, enclosures etc. Maintain ambient noise levels as per EP Rules.	Complied with.
XII	Green Belt development – as per CPCB guidelines & in consultation with local DFO / agriculture.	Green belt will be started once the fence and site grading activities will be completed.
XIII	Adequate safety measures needs to provide for limiting the risk zone within the factory and provision of leak detection devices.	Noted and will be complied with.
XIV	Conducting Occupational Health Surveillance on regular basis, Provision of fire Protection – in process and material handling.	Included in EHS Plan
XV	Management, Handling and disposal of hazardous wastes	Not applicable since no manufacturing activities are started.
XVI	Regular Mock Drills to be conducted	Noted.
XVII	Setting up of separate Environmental Management Cell	Noted and in progress.
XVIII	Separate funds with earmarked break up for EMP. These costs shall be included as project cost Year-wise expenditure to be reported to MPCB and MoEFCC Zones	Capex and O&M budgets will be prepared.
XIX	Advertisement in two local newspapers (one in Marathi Language) within seven days of issuing this EC and uploading it in MoEFCC websites and sent to MPCB.	Complied with
XX	Submit half yearly compliance report to Regional Offices	Complied with
XXI	Submission of copy of EC to concerned municipal corporation and NGO, and uploading EC letter on the Company's website	Complied with.
XXII	Uploading the compliance of EC conditions, results of monitoring data to be sent to Regional / Zonal Offices CPCB/SPCB. Criteria Pollutants namely SPM, RSPM, SO ₂ , NO _x , (Ambient Levels as well as stack emissions) or critical sectoral parameters shall be displayed at main gate & in public domain.	Complied with
XXIII	Submit half yearly compliance report to Regional Offices / CPCB/SPSB	Complied with
XXIV	Submission of annual environmental statement in Form V and uploading the same on Company website. / Copies to be sent to Regional Office of MoEFCC.	Not applicable at this phase of the project.
4	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be	Noted and complied with / No court case or

	binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.	any legal notice received.
5	In case of submission of false document and non-compliance of stipulated conditions. Authority! Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action tunder Environmental Protection Act, 1986.	Noted,
6	The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that mailer, for any other administrative reason.	Noted, will be complied as per the directives.
7	Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification. 2006. amended time to time.	Noted
8	In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should he made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required. if any.	Noted, no alterations made in EC and CTE.
9	The above stipulations would be enforced among others the Water (Prevention and Control of Pollution) Act. 1974. the Air (Prevention and Control of Pollution) Act. 1981. the Environment (Protection) Act. 1986 and rules there under. Hazardous Wastes (Management and Handling) Rules. 1989 and its amendments. the public Liability Insurance Act. 1991 and its amendments.	Noted, all the applicable requirements will be followed as per EC, CTE and CTO.
10	Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, is Floor. D-Wing. Opposite Council Hall. Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.

➤ **Note:**

- EMP Cost details in **Annexure – 1**
- Environment monitoring reports enclosed in **Annexure – 2**
- Electric Power & MIDC Water currently uses for construction activities – **Annexure – 3**
- LOIL Lote Site construction status – **Annexure 4**
- EC Transfer letter from State Level Environment Impact Assessment Authority (SEIAA) for M/s. Laxmi Organic Industries Limited to M/s. Yellowstone Fine Chemicals Private Limited, Ref. No. SIA/MH/IND2/184658/2020, dtd. 09/12/2021 – **Annexure 5**

Annexure - 1

EMP Cost Details:

Sr. No.	Particulars	Capital Cost (Rs. In Lakhs)	Recurring Cost (Rs. In Lakhs/annum)
1	Air Pollution Control		
	Process vent scrubber with blowers, tanks piping, and stack for:		20
	Process vent scrubber for S-6	32	
	Process vent scrubber for S-7	30	
	Process vent scrubber for S-8	18	
	Process vent scrubber for S-9	15	
	Process vent scrubber for S-10	15	
	Bag filter for boilers	25	
	Stack monitoring system for		
	Process vent scrubber for S-6	15	
	Process vent scrubber for S-7	15	
	Process vent scrubber for S-8	10	
	Process vent scrubber for S-9	10	
	Process vent scrubber for S-10	10	
	Process vent scrubber for S-10	15	
	Process vent scrubber for Boilers	5	
2	Water Pollution		20
	Provision of ETP, STP		
	Equalization tanks	15	
	Neutralisation tanks	10	
	Clarifiers	18	
	Aeration basins	72	
	Sludge separations	15	
	RO plants	45	
	STP	25	
3	Noise Pollution Control		1
	Provision of acoustic insulation for DG	10	
4	Environmental Monitoring And Management and OHC		3.5
	MoEF & CC Approved Laboratory and Occupational Health centre		
	Lab instruments	5	
	OHC	10	
5	Energy		5
	Solar panels with power distribution network for 120 KW	120	
	Solar street lights	20	
6	Green Belt		2.5
	Planting of trees in 2.7 hectors	3	
	Drip irrigation system in 2.7 hectors	20	
	Water supply system with piping networks	7	
7	Carbon Footprint Audit		3
	Provision of audit and action plan	10	
	TOTAL	620	55

Environment monitoring reports enclosed in Annexure – 2



GREEN ENVIROSAFE
Engineers & Consultant Pvt Ltd.

Survey No-1405/06, Mayuri Residency, Shop No-16, 2nd Floor, Sinaswadi, Tai-Shikur, Pune-412208.
Mob.: 8421365421 / 7028089005 | E-mail: gesecc12@gmail.com | www.greenenvirosafe.co.in
CIN No. : U74900PN2013PTC149666



Recognised by Ministry of Environment, Forest & Climate Change (MoEF) Govt. of India and ISO 9001:2015, ISO 45001 : 2018 Certified Company

TEST CERTIFICATE					
Report No: GESEC/Pro/2021-2022/12/291		Date of Report		05/01/2022	
Client Name and Address: M/s. Laxmi Organic Industries Ltd. Plot. No. G60, MIDC Lote, Parshuram Industrial, Chiplun Tal- Khed, District-Ratnagiri 415722		Date of Sampling		30/12/2021 – 31/12/2021	
		Start Date of Analysis		01/01/2022	
		End Date of Analysis		05/01/2022	
		Sample Details		Ambient Air	
		Sample Location		Back Side Of Security Cabin	
		Time of Sampling		10.00 AM to 10.00 AM	
Sample Collected By		Envirotech Consultants & Engineers, Thane			
Ambient Air Analysis Report					
Sr. No.	Parameter	Result	Unit(s)	NAAQ Standards	Method
15.	Ambient Temperature	32.2	°C	--	Temperature Detector
16.	Relative Humidity	64	% RH	--	Humidity Detector
17.	Sulphur Dioxide(SO ₂)	33.2	µg/M ³	≤ 80	Improved West & Gaeke
18.	Oxides of Nitrogen(NO _x)	40.2	µg/M ³	≤ 80	Modified Jacob & Hochheiser
19.	Particulate Matter PM ₁₀	53.5	µg/M ³	≤ 100	Gravimetric
20.	Particulate Matter PM _{2.5}	35.9	µg/M ³	≤ 60	Gravimetric
21.	Carbon Monoxide (CO)	1.2	mg/M ³	≤ 04	Non dispersive Infrared (NDIR) Spectroscopy
22.	Ozone(O ₃)	BDL	µg/M ³	≤ 180	UV Photometric
23.	Ammonia(NH ₃)	25	µg/M ³	≤ 400	Indophenol Blue Method
24.	Benzene(C ₆ H ₆)	BDL	µg/M ³	≤ 05	Gas Chromatography
25.	Benzo(a)Pyrene(BaP)	BDL	ng/M ³	≤ 01	Gas Chromatography
26.	Arsenic(As)	BDL	ng/M ³	≤ 06	Atomic Absorption Spectroscopy
27.	Nickel(Ni)	BDL	ng/M ³	≤ 20	Atomic Absorption Spectroscopy
28.	Lead (Pb)	BDL	µg/M ³	1.00	Atomic Absorption Spectroscopy
Remark- > All above results are within National Ambient Air Quality standards as per CPCB Notification. > BDL – Below Detectable Limit.					
ANALYZED BY-				AUTHORIZED SIGNATORY	

- Terms and conditions**
- The report is refer only to the sample tested and not applies to the bulk.
 - The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
 - The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
 - Sample will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
 - We strictly maintain the confidentiality of all test result of samples collected by us/ supplied by customer and do not give to third party unless required by the statutory or legal requirement.
 - MoEF approved Lab by Govt. of India, From date, 09/01/2017 to 08/02/2022.

TEST CERTIFICATE					
Report No: GESEC/Pro/2021-2022/12/292		Date of Report		05/01/2022	
Client Name and Address: M/s. Laxmi Organic Industries Ltd. Plot. No. G60, MIDC Lote, Parshuram Industrial, Chiplun Tal- Khed, District-Ratnagiri 415722		Date of Sampling		30/12/2021 – 31/12/2021	
		Start Date of Analysis		01/01/2022	
		End Date of Analysis		05/01/2022	
		Sample Details		Ambient Air	
		Sample Location		Near Transformer (MSEDCL) Area	
Time of Sampling		10.15 AM to 10.15 AM			
Sample Collected By		Envirotech Consultants & Engineers , Thane			
Ambient Air Analysis Report					
Sr. No.	Parameter	Result	Unit(s)	NAAQ Standards	Method
1.	Ambient Temperature	32.5	°C	--	Temperature Detector
2.	Relative Humidity	66	% RH	--	Humidity Detector
3.	Sulphur Dioxide(SO ₂)	34.5	µg/M ³	≤ 80	Improved West & Gaeke
4.	Oxides of Nitrogen(NO _x)	35.6	µg/M ³	≤ 80	Modified Jacob & Hochheiser
5.	Particulate Matter PM ₁₀	65.8	µg/M ³	≤ 100	Gravimetric
6.	Particulate Matter PM _{2.5}	49.0	µg/M ³	≤ 60	Gravimetric
7.	Carbon Monoxide (CO)	1.2	mg/M ³	≤ 04	Non dispersive Infrared (NDIR) Spectroscopy
8.	Ozone(O ₃)	BDL	µg/M ³	≤ 180	UV Photometric
9.	Ammonia(NH ₃)	26.7	µg/M ³	≤ 400	Indophenol Blue Method
10.	Benzene(C ₆ H ₆)	BDL	µg/M ³	≤ 05	Gas Chromatography
11.	Benzo(a)Pyrene(BaP)	BDL	ng/M ³	≤ 01	Gas Chromatography
12.	Arsenic(As)	BDL	ng/M ³	≤ 06	Atomic Absorption Spectroscopy
13.	Nickel(Ni)	BDL	ng/M ³	≤ 20	Atomic Absorption Spectroscopy
14.	Lead (Pb)	BDL	µg/M ³	1.00	Atomic Absorption Spectroscopy
Remark-					
➤ All above results are within National Ambient Air Quality standards as per CPCB Notification.					
➤ BDL – Below Detectable Limit.					
ANALYZED BY-				AUTHORIZED SIGNATORY	
					

- Terms and conditions**
- The report is valid only for the sample tested and not applies to the bulk.
 - The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
 - The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
 - Samples will be retained for a period of seven (7) days after completion of analysis; longer retention periods can be arranged, on request of the customer.
 - Customer must maintain the confidentiality of all test results of sample(s) collected by us/ supplied by customer and not reveal to third party unless required by the statutory or legal requirements.
 - MoEF approved Lab by Govt. of India. From date: 09/03/2017 to 08/02/2022

TEST CERTIFICATE					
Report No: GESEC/Pro/2021-2022/12/293		Date of Report		05/01/2022	
Client Name and Address: M/s. Laxmi Organic Industries Ltd. Plot. No. G60, MIDC Lote, Parshuram Industrial, Chiplun Tal- Khed, District-Ratnagiri 415722		Date of Sampling		30/12/2021 – 31/12/2021	
		Start Date of Analysis		01/01/2022	
		End Date of Analysis		05/01/2022	
		Sample Details		Ambient Air	
Sample Collected By		Sample Location		West Side Of Plant 300	
		Time of Sampling		10.35 AM to 10.35 AM	
		Envirotech Consultants & Engineers, Thane			
Ambient Air Analysis Report					
Sr. No.	Parameter	Result	Unit(s)	NAAQ Standards	Method
1.	Ambient Temperature	32.0	°C	--	Temperature Detector
2.	Relative Humidity	66	% RH	--	Humidity Detector
3.	Sulphur Dioxide(SO ₂)	24.6	µg/M ³	≤ 80	Improved West & Gaeke
4.	Oxides of Nitrogen(NO _x)	30.2	µg/M ³	≤ 80	Modified Jacob & Hochheiser
5.	Particulate Matter PM ₁₀	35.6	µg/M ³	≤ 100	Gravimetric
6.	Particulate Matter PM _{2.5}	31.9	µg/M ³	≤ 60	Gravimetric
7.	Carbon Monoxide (CO)	0.58	mg/M ³	≤ 04	Non dispersive Infrared (NDIR) Spectroscopy
8.	Ozone(O ₃)	BDL	µg/M ³	≤ 180	UV Photometric
9.	Ammonia(NH ₃)	15.3	µg/M ³	≤ 400	Indophenol Blue Method
10.	Benzene(C ₆ H ₆)	BDL	µg/M ³	≤ 05	Gas Chromatography
11.	Benzo(a)Pyrene(BaP)	BDL	ng/M ³	≤ 01	Gas Chromatography
12.	Arsenic(As)	BDL	ng/M ³	≤ 06	Atomic Absorption Spectroscopy
13.	Nickel(Ni)	BDL	ng/M ³	≤ 20	Atomic Absorption Spectroscopy
14.	Lead (Pb)	BDL	µg/M ³	1.00	Atomic Absorption Spectroscopy
Remark- > All above results are within National Ambient Air Quality standards as per CPCB Notification. > BDL – Below Detectable Limit.					
ANALYZED BY-			AUTHORIZED SIGNATORY		
					



- Terms and conditions
- The report is refer only to the sample tested and not applies to the bulk.
 - The results shown in this test report may differ based on various factors including temperature, humidity, pressure, recovery time etc.
 - This test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
 - Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
 - We strictly maintain the confidentiality of all test results of sample(s) collected by us/ supplied by customer and not reveal to any other company or organization without the request of client.
 - MoEF approved Lab by Govt. of India, from date: 09/02/2017 to 06/02/2022.

TEST CERTIFICATE			
Report No: GESEC/PRO/2021-2022/12/294		Date of Report	05/01/2022
Client Name and Address: M/s. Laxmi Organic Industries Ltd. Plot. No. G60, MIDC Lote, Parshuram Industrial, Chiplun Tal- Khed, District-Ramagiri 415722		Date of Sampling	30/12/2021
		Sample Details	Ambient Noise Monitoring
Sample Collected By		Envirotech Consultants & Engineers , Thane	
Noise Level Monitoring			
Sr. No.	Sampling Location	Result dB(A)	
		Day	Night
1.	North Side of Plot	58.6	48.0
2.	West Side of Plot	70.6	49.7
3.	East Side of Plot	65.6	50.0
4.	South Side of Plot	63.6	46.5
Remark- > All above Noise level results are within Central Pollution Control Board Standards limit. > Day/Night -75/70 dB(A)			
ANALYZED BY-		AUTHORIZED SIGNATORY	
			



- Terms and conditions**
- The report is refer only to the sample tested and not applies to the bulk.
 - The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
 - The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
 - Samples will be retained for a period of seven (7) days after completion of analysis, longer retention periods can be arranged, on request of the customer.
 - We strictly maintain the confidentiality of all test results of sample(s) collected by us/ supplied by customer and we need to third party unless required by the regulatory or legal requirement.
 - MoEF approved Lab by Govt. of India, from date, 09/02/2017 to 06/02/2022

Electric Power & MIDC Water currently uses for construction activities – Annexure – 3

MIDC Water Consumption								
Sr. No	Use	EC Quantity	Oct-21	Nov-21	Dec-21	Jan-22	Feb-22	Mar-22
			m3/M	m3/M	m3/M	m3/M	m3/M	m3/M
1	Water used for construction activities	2529 m3/day	648.76	12.86	354.57	101.91	316.15	988.32

Electric Power Consumption								
Sr. No	Use	EC Condition	Oct-21	Nov-21	Dec-21	Jan-22	Feb-22	Mar-22
			Mwh/M	Mwh/M	Mwh/M	Mwh/M	Mwh/M	Mwh/M
1	Electricity used for construction activities	9 MW (connected load) 6 MW (demand load)	22.710	18.532	17.279	14.327	14.081	18.213

LOIL Lote Site construction status – Annexure 4:





26 Mar 2022 11:16:09 am



26 Mar 2022 9:59:29 am









Annexure 5

EC Transfer letter from State Level Environment Impact Assessment Authority (SEIAA) for M/s. Laxmi Organic Industries Limited to M/s. Yellowstone Fine Chemicals Private Limited, Ref. No. SIA/MH/IND2/184658/2020, dtd. 09/12/2021

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No.SIA/MH/IND2/184658/2020
Environment & Climate
Change Department,
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.
Date: 09.12.2021

To,
M/s. Yellowstone Fine Chemicals Private Limited.,
Plot no. 60, MIDC Lote Parshuram, Khed,
Ratnagiri

Sub : Transfer of Environmental Clearance granted to proposed 8500 MT/Month of Synthetic Organic Chemicals plant for Specialty Intermediates at plot no. 60, MIDC Lote Parshuram, Khed, Ratnagiri by M/s. Laxmi Organic Industries Ltd.

Ref : 1. Your application for transfer of EC- SIA/MH/IND2/184658/2020, dated 24.11.2020
2. EC Letter no. SIA/MH/IND2/50229/2019, dated 30.03.2020.

1. This has reference to your online application vide proposal No. SIA/MH/IND2/184658/2020, dated 24.11.2020 in prescribed Form -7 and other documents for seeking transfer of Environmental Clearance (EC) of the project mentioned in the subject.
2. M/s. Laxmi Organic Industries Ltd. was granted EC for proposed 8500 MT/Month of Synthetic Organic Chemicals plant for Specialty Intermediates at plot no. 60, MIDC Lote Parshuram, Khed, Ratnagiri vide letter dated 30.03.2020. Now, You have applied for transfer of EC dated 30.03.2020 from M/s. Laxmi Organic Industries Ltd. to M/s. Yellowstone Fine Chemicals Private Limited which is 100 % subsidiary of M/s. Laxmi Organic Industries Ltd.
3. You have submitted following documents in support of your application for transfer of EC-
 - i. Copy of Memorandum of Understanding
 - ii. Undertaking by transferee i.e. M/s. Yellowstone Fine Chemicals Private Limited regarding acceptance of the terms and conditions mentioned in the EC letter dated 30.03.2020.
 - iii. copy of authorization duly signed by the project proponent in support of the person making this application on behalf of the User Agency
4. SEIAA noted the above facts and decided to transfer EC dated 30.03.2020 from to M/s. Laxmi Organic Industries Ltd. to M/s. Yellowstone Fine Chemicals Private Limited.
5. This letter shall be read with the EC letter dated 30.03.2020.
6. All the other terms and conditions mentioned in the EC letter dated 30.03.2020 shall remain the same.


Manisha Patankar-Manishar
(Member Secretary) 9/12/2021